EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|---|--|---------------------|---------|------------------|
| S79 | 2 | (717/15?.ccls. or 717/16?.ccls.) (loop same (new \$2 near4 (op \$1code\$1 or (op adj code)))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:12 |
| S78 | 1 | (717/15?.ccls. or 717/16?.ccls.) loop.ab. (new\$2 near4 (op\$1code \$1 or (op adj code))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:11 |
| S77 | 2 | (717/15?.ccls. or 717/16?.ccls.) loop.clm. (new\$2 near4 (op\$1code \$1 or (op adj code))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:11 |
| S76 | 505 | (717/15?.ccls. or 717/16?.ccls.) loop.clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:10 |
| S73 | 67 | (717/15?.ccls. or 717/16?.ccls.) (loop near8 (frequen\$4 or execut\$4) (frequen\$4 near8 (execut\$4 or loop)) (new\$2 near4 (macro or code or op\$1code \$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:09 |
| S72 | 221 | (717/15?.ccls. or 717/16?.ccls.) (loop near8 (frequen\$4 or execut\$4)) (frequen\$4 near8 (execut\$4 or loop)) new\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:08 |

| S71 | 196 | (717/15?.ccls. or 717/16?.ccls.) (loop near3 (frequen\$4 or execut\$4)) (frequen\$4 near8 (execut\$4 or loop)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | Z | 2009/04/25 16:08 |
|-----|-----|---|--|-----|----------|------------------|
| S70 | 686 | (717/15?.ccls. or 717/16?.ccls.) (loop near3 (frequen\$4 or execut\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 16:07 |
| S69 | 5 | ((execut\$4 near2 frequen\$4) with loop) (new\$2 near3 ((set near instruction) or op \$1code\$1 or macro or (op adj code\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OR | 2009/04/25 15:23 |
| S68 | 15 | (execut\$4 near7 frequen\$4 near7 loop) (new\$2 near3 ((set near instruction) or op \$1 code\$1 or (op adj code\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:20 |
| S67 | 204 | (execut\$4 near7 frequen\$4 near7 loop) (new\$2 near3 (set or instruction or op \$1 code\$1 or macro)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:20 |
| S66 | 13 | (execut\$4 near7 frequen\$4 near7 loop) (new\$3 near4 (op\$1code \$1 or (op adj code))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:18 |
| S65 | 805 | (execut\$4 near7 frequen\$4 near7 loop) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:18 |
| S50 | 31 | ((op\$1code\$1 or (op adj code)) same new\$2) (loop near3 frequen\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:00 |

| S49 | 4 | ((op\$1code\$1 or (op adj code)) near7 new\$2) (loop near3 frequen\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 15:00 |
|-----|------|---|--|-----|----|------------------|
| S48 | 137 | (op\$1code\$1 or (op adj code)) (loop near3 frequen\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/25 14:59 |
| S47 | 36 | ((thres\$1hold or count or frequen \$4) same loop) ((thres\$1hold or count or frequen \$4 or loop) near9 (op\$1code\$1 or (op adj code)) ((new\$2) near5 (op\$1code\$1 or (op adj code))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:51 |
| S44 | 275 | ((thres\$1hold or count or frequen \$4) same loop ((thres\$1hold or count or frequen \$4) same (op \$1code\$1 or (op adj code))) ((new \$2) near5 (op \$1code\$1 or (op adj code))) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:46 |
| S43 | 407 | ((thres\$1hold or count or frequen \$4) same loop) ((thres\$1hold or count or frequen \$4) same (op \$1code\$1 or (op adj code))) ((new \$2) same (op \$1code\$1 or (op adj code))) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:46 |
| S42 | 7777 | ((thres\$1hold or count or frequen \$4) same loop) ((thres\$1hold or count or frequen \$4) same (op \$1code\$1 or (op adj code))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:45 |

| S41 | 1997 | ((thres\$1hold or count or frequen \$4) same loop) (op \$1code\$1 or (op adj code)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:45 |
|-----|------|---|--|-----|----|------------------|
| S40 | 5450 | (thres\$1hold or count or frequen \$4) loop (op \$1code\$1 or (op adj code)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:44 |
| S35 | 193 | (new\$2 near5 (op \$1code\$1 or (op adj code))) (loop near9 frequen\$4) ((loop or count\$4 or execut\$4) same (frequen\$4 or thres\$1hold)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:29 |
| S34 | 0 | (new\$2 near5 (op \$1oode\$1 or (op adj code))) (loop near9 frequen\$4) ((loop or count\$4 or execut\$4) same (frequen\$4 or thres\$1hold)) (op\$1oode\$1 or (op adj code)).ab. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:28 |
| S33 | 3 | (new\$2 near5 (op \$1code\$1 or (op adj code))) (loop near9 frequen\$4) ((loop or count\$4 or execut\$4) same (frequen\$4 or thres\$1hold)) (op\$1 code\$1 or (op adj code)). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:28 |
| S28 | 174 | (new\$2 near5 (op \$1 code\$1 or (op adj code))) (loop near6 frequen\$4) ((translat\$4 or conver\$5 or compil\$6) near9 (new\$2 or op \$1 code\$1 or (op adj code))) ((loop or frequen\$4 or execut \$4) same thres \$1 hold) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:19 |

| S27 | 174 | (new\$2 near5 (op stoode\$1 or (op adjoode))) (loop near9 frequen\$4) ((translat84 or cover\$5 or compil \$6 near9 (new\$5 or op\$1 code\$1 or (op adjoode))) ((loop or frequen\$4 or count\$4 or execut\$4) same thres\$1 hold) | US-PGPUB; USPAT; USOCR; FPRS; EPO, JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:19 |
|-----|-----|--|--|-----|----|------------------|
| S26 | 1 | (new\$2 near5 (op \$1 code\$1 or (op adj code))) (lop near9 frequen\$4) ((translat\$4 or cover\$5 or compil \$6) near9 (new\$2 or op\$1 code\$1 or (op adj code))) ((loop or frequen \$4) near7 thres \$1 hold) | US-PGPUB; USPAT; USOCR; FPRS: EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:18 |
| S22 | 193 | (new\$2 near5 (op \$1 code\$1 or (op adj code))) (loop near9 frequen\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/20 15:16 |
| S21 | 42 | (frequen\$6 same loop\$4 same execut\$9) (new\$2 near\$ ((instruction adj set) or op \$1code\$1 or (op adj code\$1))) (op \$1code\$1 or (op adj code\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:24 |
| S19 | 42 | (frequen\$6 same loop\$4 same execut\$9) (new\$2 near\$9 ((instruction adj set) or op \$1code\$1 or (op adj code\$1))) (op \$1code\$1 or (op adj code\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:15 |

| S18 | 56 | (frequen\$6 same loop\$4 same execut\$9) (new\$2 near9 ((instruction adj set) or op \$1 code\$1 or (op adj code\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | O | 2009/04/19 13:15 |
|-----|------|--|--|-----|----------|------------------|
| S17 | 33 | (frequen\$6 same loop\$4 same execut\$9) (new\$2 near9 (op\$1code \$1 or (op adj code \$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:15 |
| S16 | 5446 | (frequen\$6 same loop\$4 same execut\$9) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:14 |
| S11 | 43 | (loop near9 (frequen\$4 or thres\$1hold or count\$4)) (lop \$1code\$1 or (op adj code\$1)) near7 new\$2) (loop\$3 or frequen \$4 or (lop\$1code \$1 or (op adj code \$1)))).dim. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:09 |
| S6 | 14 | (loop near9 frequen\$4) (instruction adj set) ((op\$1code\$1 or (op adj code \$1)) near7 new \$2) (loop\$3 or ((op \$1code\$1 or (op adj code\$1)) or new\$2)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | 0 | 2009/04/19 13:06 |
| S5 | 8 | (loop near9 frequen\$4) (instruction adj set) (lop\$1 code\$1 or (op adj code \$1)) near7 new \$2) (loop\$3 or ((op \$1 code\$1) or (op adj code\$1)) near7 new\$2)). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:06 |

| S4 | 190 | (loop near9 frequen\$4) (instruction adj set) ((op\$1code\$1 or (op adj code \$1)) near7 new \$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:05 |
|----|-----|---|--|-----|----|------------------|
| S3 | 464 | (loop near9 frequen\$4) (instruction adj set) (op\$1code\$1 or (op adj code \$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:04 |
| S2 | 1 | 10/630913 loop\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:00 |
| S1 | 1 | 10/646282 loop\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/04/19 13:00 |

4/25/2009 4:34:22 PM

C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\0934 10 646 282 huffman-l compiler.wsp